



Change Record					
Area	Mark	Change Content Description	Date	Changer	Approve
N/A	N/A	First Release	2020-05-01		

Unmarked Dimensional Tolerance Table					
>	≤	Plastic	Metel	Die Cut	Rubber
0	3	±0.05	±0.05	±0.10	±0.10
3	6	±0.07	±0.05	±0.10	±0.10
6	30	±0.10	±0.10	±0.15	±0.15
30	120	±0.15	±0.15	±0.25	±0.25
120	~	±0.20	±0.20	±0.30	±0.30
Unmarked Angel Tolerance ±0.5°					

NOTES:
1.Drawing dimensions are used to check the shape, function and assembly of parts;
2.Material: 0.12mm SRF, 2D protect film:
Layered structure:0.05mm PET+0.10mm TPU+0.03 Silica gel;
3.The edge of the die-cutting part shall be neat without obvious fiber and fine chip residues;convex and concave points/printing/pressing;scratches;white spots, black spots,filaments and other appearance defects.
4.Those marked with "*" are the key control dimensions.For those not marked with dimension, refer to 3D, and for those not marked with tolerance, refer to tolerance table;
5.Transmittance of HD 3D and HD protective film≥91%(UV spectrophotometer), haze≤0.9%(haze tester)

oppo			TP Protect Film		QT-DD319-TP-PROTECT-FILM		
Design			Material		Scale	Version	Part Version
Check					1:2	1	V1
Standardize			Surface treatment		Unites	Weight (g)	
Approve			Page 1	Total 1 Page	mm		